

# CONNECTORS GENERAL CATALOGUE

Edition 2017

We are connecting the world...



## Series SM SE 8000 EMC/EMI Filter



SE 8000

SE 8000S

SE 8000S1

Rated voltage	120/250VDC
Rated current	1A-10A
Operating frequency	50/60Hz
Temperature Range	HPF25/085/21
Test voltage (1min)	Line to Line 1450VDC
Test voltage (1min)	Line to Ground 2000VAC


Filter	Rated Current(A)	Rated Voltage(V)	Leakege Current(mA)
SE8000-1-01	1	120/250	0,5
SE8000-3-01	3	120/250	0,5
SE8000-6-01	6	120/250	0,5
SE8000-10-01	10	120/250	0,5
SE8000S-1-01	1	120/250	0,5
SE8000S-3-01	3	120/250	0,5
SE8000S-6-01	6	120/250	0,5
SE8000S-10-01	10	120/250	0,5
SE8000S1-1-01	1	120/250	0,5
SE8000S1-3-01	3	120/250	0,5
SE8000S1-6-01	6	120/250	0,5
SE8000S1-10-01	10	120/250	0,5

Application:

Single-phase power supplies, switch-mode power supplies,

Small to medium-sized machines and household equipment,

Portable electrical and electronic equipment,



## Series SM 8100/8200 EMC/EMI Filter With Fuse Holder



SE 8100  
Single Fuse Holder

SE 8200  
Double Fuse Holder

Rated voltage	120/250VDC
Rated current	1A-10A
Operating frequency	50/60Hz
Temperature Range	HPF25/085/21
Test voltage (1min)	Line to Line 1450VDC
Test voltage (1min)	Line to Ground 2000VAC

Application:


Single-phase power supplies, switch-mode power supplies,

Small to medium-sized machines and household equipment,

Portable electrical and electronic equipment,

Test and measurement equipment

Medical equipment etc



Filter	Rated Current(A)	Rated Voltage(V)	Leakege Current(mA)
SE8100-1-01	1	120/250	0,5
SE8100-3-01	3	120/250	0,5
SE8100-6-01	6	120/250	0,5
SE8100-10-01	10	120/250	0,5
SE8200-1-01	1	120/250	0,5
SE8200-3-01	3	120/250	0,5
SE8200-6-01	6	120/250	0,5
SE8200-10-01	10	120/250	0,5

## Series SM SE 8300/8400 EMC/EMI Filter With Fuse Holder and Switch



SE 8300  
Single fuse Holder



SE 8400  
Double fuse holder

Rated voltage	120/250VDC
Rated current	1A-10A
Operating frequency	50/60Hz
Temperature Range	HPF25/085/21
Test voltage (1min)	Line to Line 1450VDC
Test voltage (1min)	Line to Ground 2000VAC

Filter	Rated Current(A)	Rated Voltage(V)	Leakege Current(mA)
SE8300-1-01	1	120/250	0,5
SE8300-3-01	3	120/250	0,5
SE8300-6-01	6	120/250	0,5
SE8300-10-01	10	120/250	0,5
SE8400-1-01	1	120/250	0,5
SE8400-3-01	3	120/250	0,5
SE8400-6-01	6	120/250	0,5
SE8400-10-01	10	120/250	0,5

Application:


Single-phase power supplies, switch-mode power supplies,

Small to medium-sized machines and household equipment,

Portable electrical and electronic equipment,

Test and measurement equipment

Medical equipment etc



## Series SM SE8600 EMC/EMI Filter With Mains Switch




Application:

Single-phase power supplies, switch-mode power supplies,  
Small to medium-sized machines and household equipment,  
Portable electrical and electronic equipment,  
Test and measurement equipment  
Medical equipment etc

Rated voltage	120/250VDC
Rated current	1A-10A
Operating frequency	50/60Hz
Temperature Range	HPF25/085/21
Test voltage (1min)	Line to Line 1450VDC
Test voltage (1min)	Line to Ground 2000VAC

Filter	Rated Current(A)	Rated Voltage(V)	Leakege Current(mA)
SE8600-1-01	1	120/250	0,5
SE8600-3-01	3	120/250	0,5
SE8600-6-01	6	120/250	0,5
SE8600-10-01	10	120/250	0,5



## Series SM SE1000 and SM SE2000

SE1000-X-02  
Metal Printed EMI filter  
X: 1A; 3A; 6A




SE1001-X-02  
Black Plastic PCB Filter  
X: 1A; 3A; 6A



SE1002-X-02  
Low Cost PCB Filter  
X: 1A; 3A; 6A



SE2000-X-01  
Single Phase Single EMI Filter  
X: 1A; 3A; 6A; 10A






## RF COAXIAL CONNECTORS

In this catalog you will find these connectors: Series. MMCX, MCX, MCX75Ohm, SMA, SMB, SMB75Ohm, SMC, N, BNC, TNC, BMA, MHV, 7/16, Reverse Polarity, Adaptor, Cable Assemblies, Pigtail, Termination....





**We offer customer types**



## PLUGGABLE TERMINAL BLOCK


In this catalog you will find Terminal Blocks with pitch: 2,5mm; 3,5mm; 3,81mm; 3,96mm; 5,00mm; 5,08mm; 7,5mm and 7,62mm



## PCB TERMINAL BLOCK


In this catalog you will find Terminal Blocks with pitch: 2,5mm; 2,54mm; 3,5mm; 3,81mm; 3,96mm; 4,00mm; 5,00mm; 5,08mm; 7,5mm; 7,62mm; 10mm.

We have this types: Screw Terminal Block, Spring Terminal Block, Transformer Terminal Block, Fuse Terminal Block, Ceramic Terminal Block, DIN Rail Terminal Block



## TABS AND TERMINALS

In this catalog you will find: Solderless terminals non insulated and insulated, pin terminals, cable lugs; receptacles, Tabs, Insulation housings...



# CONNECTORS GENERAL CATALOGUE

Edition 2017



**SCHMID-MULTITECH, GmbH**

Weinbergstraße 60b, 93105 Tegernheim  
Tel.: +49-9403-9510-0  
info@schmid-m.de  
www.schmid-m.de



**SCHMID-MULTITECH, GmbH**

Ot Ziemendorf, Dorfstraße 49g  
49-39384-9848-0  
info@schmid-m.de  
www.schmid-m.de



**ATD Elektronik, s.r.o.**

Luženice 10, 344 01 Domažlice  
tel.: +420 379 723 915  
info@atd-elektronik.cz  
www.atd-elektronik.cz



**ABC Elektronik Sp. z o.o.**

ul. Kolejowa 10, 38-300 Gorlice  
tel.: +48 18 353-66-65  
info@abcpol.pl  
www.abcpol.pl



**SCHMID-MULTITECH, s.r.o.**

Podjavorinskej 5, 911 05 Trenčín  
tel.: +421-32-7 440 186  
mkovacik@smsk.sk  
www.schmid-multitech.sk



**ANGIELA ELEKTRONIK SRL**

Str.Slanic Nr. 1 Ap3, 400413 Cluj-Napoca  
tel.: +40-264-403-284  
info@angiela-elektronik.ro  
www.angiela-elektronik.ro



**ADMM Kft.**

Rumi u. 284, H-9700 Szombathely  
tel.: +36-94 510-522  
mail@admm.hu  
www.admm.hu