

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1005(H/V)-12mH-3A-5x7mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
1	SQ1005H	0.5*7TS	12 uH	20.0	3A	5*7 L: 11.0 W: 11.0 H: 10.0	
2	SQ1010V	0.1*0.7*39TS	10mH	160.0	0.70	5.8*7 L: 14.5 W: 8.50 H: 13.5	
3	SQ1012V	0.1*0.7*50	12mH	260.0	0.70	5.8*7 L: 14.5 W: 8.50 H: 15.5	
4	SQ1015V	0.1*0.7*68	15.0mH	500.0	0.70	5.8*7 L: 14.5 W: 8.50 H: 18.0	
5	SQ1010H	0.1*0.7*39TS	10mH	160.0	0.70	7*8 L: 11.0 W: 13.5 H: 9.5	
6	SQ1212V	0.1*1.0*50TS	25mH	240.0	1.00	6*8 L:18.0 W:10.5 H:17.5	
7	SQ1212V	0.1*1.0*50TS	25mH	240.0	1.00	7*8 L:18.0 W:11.5 H:17.5	













Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1212(H/V)-25mH-1A-8x11mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
8	SQ1212V	0.1*1.0*50TS	25mH	240.0	1.00	8*11 L:18.0 W:11.5 H:17.5	 
9	SQ1218V	0.1*1.0*87TS	50mH	360.0	1.00	8*10 L:18.0 W:11.5 H:21.5	 
10	SQ1212H	0.1*1.0*50TS	25mH	240.0	1.00	10*13 L:17.0 W:14.5 H:12.0	 
11	SQ1212V	0.13*1.0*45TS	15mH	170.0	1.30	6*8 L:18.0 W:10.5 H:17.5	 
12	SQ1212H	0.13*1.0*45TS	15mH	170.0	1.30	10*13 L:17.0 W:14.5 H:12.0	 
13	SQ1212V	0.13*1.0*45TS	15mH	170.0	1.30	7*8 L:18.0 W:11.5 H:17.5	 
14	SQ1212V	0.13*1.0*45TS	15mH	170.0	1.30	8*11 L:18.0 W:11.5 H:17.5	 

Part Numbering Systems:

Series Code - Inductance - Current -Size

for example: **SQ1212(H/V)-10mH-1.5A-6x8mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
15	SQ1212V	0.15*1.0*38TS	10mH	120.0	1.50	6*8 L:18.0 W:10.5 H:17.5	
16	SQ1212V	0.15*1.0*38TS	10mH	120.0	1.50	7*8 L:18.0 W:11.5 H:17.5	
17	SQ1212V	0.15*1.0*38TS	10mH	120.0	1.50	8*11 L:18.0 W:11.5 H:17.5	
18	SQ1212H	0.15*1.0*38TS	10mH	140.0	1.50	10*13 L:17.0 W:14.5 H:12.0	
19	SQ1212H	0.15*1.0*38TS	10mH	140.0	1.50	11.2*15.6 L:15.0 W:20.0 H:9.0	
20	SQ1212V	0.2*1.0*35TS	8mH	100.0	2.00	6*8 L:18.0 W:10.5 H:17.5	
21	SQ1212V	0.2*1.0*35TS	8mH	100.0	2.00	7*8 L:18.0 W:11.5 H:17.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1212(H/V)-8mH-2A-8x11mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
22	SQ1212V	0.2*1.0*35TS	8mH	100.0	2.00	8*11 L:18.0 W:11.5 H:17.5	
23	SQ1212H	0.2*1.0*35TS	8.0mH	100.0	2.00	10*13 L:17.0 W:14.5 H:12.0	
24	SQ1314V	0.1*1.0*50TS	15.0mH	210.0	1.00	7*8 L:18.0 W:11.0 H:18.5	
25	SQ1314V	0.13*1.0*44TS	10.0mH	180.0	1.30	5*7 L:19.0 W:11.5 H:19.0	
26	SQ1314V	0.13*1.0*44TS	10.0mH	180.0	1.30	7.5*10 L:19.0 W:11.5 H:19.0	
27	SQ1314V	0.15*1.0*40TS	9.0mH	160.0	1.50	5*7 L:19.0 W:11.5 H:19.0	
28	SQ1314V	0.15*1.0*40TS	9.0mH	160.0	1.50	7.5*10 L:19.0 W:11.5 H:19.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1314(H/V)-7mH-1.8A-5x7mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
29	SQ1314V	0.18*1.0*35TS	7.0mH	150.0	1.80	5*7 L:19.0 W:11.5 H:19.0	
30	SQ1314V	0.18*1.0*35TS	7.0mH	150.0	1.80	7.5*10 L:19.0 W:11.5 H:19.0	
31	SQ1314V	0.2*1.0*31TS	6.0mH	140.0	2.00	5*7 L:19.0 W:11.5 H:19.0	
32	SQ1314V	0.2*1.0*31TS	6.0mH	140.0	2.00	7.5*10 L:19.0 W:11.5 H:19.0	
33	SQ1515V	0.1*1.0*66TS	30.0mH	340.0	1.00	7.5*10 L:21.5 W:12.5 H:20.0	
34	SQ1515V	0.1*1.0*66TS	30.0mH	340.0	1.00	8*10 L:21.5 W:12.5 H:21.0	
35	SQ1515V	0.1*1.0*66TS	30.0mH	340.0	1.00	10*12.8 L:21.5 W:15.0 H:21.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-30mH-1A-13x17mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
36	SQ1515H	0.1*1.0*66TS	30.0mH	340.0	1.00	13*17 L:22.0 W:17.5 H:15.0	
37	SQ1515H	0.1*1.0*66TS	30.0mH	340.0	1.00	9*13*17 L:22.0 W:17.5 H:15.0	
38	SQ1515H	0.1*1.0*66TS	30.0mH	340.0	1.00	13.5*13.5 L:21.0 W:17.0 H:13.0	
39	SQ1518H	0.1*1.0*85TS	50mH	500.0	1.00	17.0*21.0 L:21.0 W:25.0 H:9.5	
40	SQ1515V	0.13*1.0*56TS	25mH	220.0	1.30	6*8 L:21.0 W:11.5 H:21.0	
41	SQ1515V	0.13*1.0*56TS	25mH	250.0	1.30	6.5*10 L:21.5 W:12.5 H:21.0	
42	SQ1515V	0.13*1.0*56TS	25mH	250.0	1.30	7.5*10 L:21.5 W:12.5 H:20.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-25mH-1,30A-8x9mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
43	SQ1515V	0.13*1.0*56TS	25mH	250.0	1.30	8*9 L:21.5 W:12.5 H:19.5	
44	SQ1515V	0.13*1.0*56TS	25mH	250.0	1.30	8*10 L:21.5 W:12.5 H:21.0	
45	SQ1515V	0.13*1.0*56TS	25mH	250.0	1.30	9*10.5 L:21.5 W:13.0 H:20.0	
46	SQ1515V	0.13*1.0*56TS	25mH	250.0	1.30	10*12.8 L:21.5 W:15.0 H:21.0	
47	SQ1515H	0.13*1.0*56TS	25mH	250.0	1.30	13*17 L:22.0 W:17.5 H:15.0	
48	SQ1515H	0.13*1.0*56TS	25mH	250.0	1.30	9*13*17 L:22.0 W:17.5 H:15.0	
49	SQ1515H	0.13*1.0*56TS	25mH	250.0	1.30	13.5*13.5 L:21.0 W:17.0 H:13.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-20mH-1.5A-6x8mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
50	SQ1515V	0.15*1.0*50TS	20mH	200.0	1.50	6*8 L:21.0 W:11.5 H:21.0	
51	SQ1515V	0.15*1.0*50TS	20mH	200.0	1.50	6.5*10 L:21.5 W:12.5 H:21.0	
52	SQ1515V	0.15*1.0*50TS	20mH	200.0	1.50	7.5*10 L:21.5 W:12.5 H:20.0	
53	SQ1515V	0.15*1.0*50TS	20mH	200.0	1.50	8*9 L:21.5 W:12.5 H:19.5	
54	SQ1515V	0.15*1.0*50TS	20mH	200.0	1.50	8*10 L:21.5 W:12.5 H:21.0	
55	SQ1515V	0.15*1.0*50TS	20mH	200.0	1.50	9*10.5 L:21.5 W:13.0 H:20.0	
56	SQ1515V	0.15*1.0*50TS	20mH	200.0	1.50	10*12.8 L:21.5 W:15.0 H:21.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-20mH-1.5A-13x17mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
57	SQ1515H	0.15*1.0*50TS	20mH	200.0	1.50	13*17 L:22.0 W:17.5 H:15.0	
58	SQ1515H	0.15*1.0*50TS	20mH	200.0	1.50	9*13*17 L:22.0 W:17.5 H:15.0	
59	SQ1515H	0.15*1.0*50TS	20mH	200.0	1.50	13.5*13.5 L:21.0 W:17.0 H:13.0	
60	SQ1515V	0.18*1.0*43TS	18.0mH	180.0	1.80	6*8 L:21.0 W:11.5 H:21.0	
61	SQ1515V	0.18*1.0*42TS	18.0mH	180.0	1.80	6.5*10 L:21.5 W:12.5 H:21.0	
62	SQ1515V	0.18*1.0*42TS	18.0mH	180.0	1.80	7.5*10 L:21.5 W:12.5 H:20.0	
63	SQ1515V	0.18*1.0*42TS	18.0mH	180.0	1.80	8*9 L:21.5 W:12.5 H:19.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-18mH-1.8A-8x10mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
64	SQ1515V	0.18*1.0*42TS	18.0mH	180.0	1.80	8*10 L:21.5 W:12.5 H:21.0	
65	SQ1515V	0.18*1.0*42TS	18.0mH	180.0	1.80	9*10.5 L:21.5 W:13.0 H:20.0	
66	SQ1515V	0.18*1.0*42TS	18.0mH	180.0	1.80	10*12.8 L:21.5 W:15.0 H:21.0	
67	SQ1515H	0.18*1.0*42TS	18.0mH	180.0	1.80	13*17 L:22.0 W:17.5 H:15.0	
68	SQ1515H	0.18*1.0*42TS	18.0mH	180.0	1.80	9*13*17 L:22.0 W:17.5 H:15.0	
69	SQ1515H	0.18*1.0*42TS	18.0mH	180.0	1.80	13.5*13.5 L:21.0 W:17.0 H:13.0	
70	SQ1515H	0.18*1.0*42TS	18.0mH	180.0	1.80	13*17 L:22.0 W:17.5 H:15.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-18mH-1.8A-9x13x17mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
71	SQ1515H	0.18*1.0*42TS	18.0mH	180.0	1.80	9*13*17 L:22.0 W:17.5 H:15.0	
72	SQ1515H	0.18*1.0*42TS	18.0mH	180.0	1.80	13.5*13.5 L:21.0 W:17.0 H:13.0	
73	SQ1515V	0.2*1.0*40TS	12mH	130.0	2.00	6*8 L:21.5 W:11.5 H:21.0	
74	SQ1515V	0.2*1.0*40TS	12mH	130.0	2.00	6.5*10 L:21.5 W:12.5 H:21.0	
75	SQ1515V	0.2*1.0*40TS	12mH	130.0	2.00	7.5*10 L:21.5 W:12.5 H:20.0	
76	SQ1515V	0.2*1.0*40TS	12mH	130.0	2.00	8*9 L:21.5 W:12.5 H:19.5	
77	SQ1515V	0.2*1.0*40TS	12mH	130.0	2.00	8*10 L:21.5 W:12.5 H:21.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-12mH-2A-8x10.5mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
78	SQ1515V	0.2*1.0*40TS	12mH	130.0	2.00	9*10.5 L:21.5 W:13.0 H:20.0	
79	SQ1515V	0.2*1.0*40TS	12mH	130.0	2.00	10*12.8 L:21.5 W:15.0 H:21.0	
80	SQ1515H	0.2*1.0*40TS	12mH	130.0	2.00	13*17 L:22.0 W:17.5 H:15.0	
81	SQ1515H	0.2*1.0*40TS	12mH	130.0	2.00	9*13*17 L:22.0 W:17.5 H:15.0	
82	SQ1515H	0.2*1.0*40TS	12mH	130.0	2.00	13.5*13.5 L:21.0 W:17.0 H:13.0	
83	SQ1515H	0.2*1.0*40TS	12mH	130.0	2.00	13*17 L:22.0 W:17.5 H:15.0	
84	SQ1515H	0.2*1.0*40TS	12mH	130.0	2.00	9*13*17 L:17.0 W:14.5 H:12.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-12mH-2A-13.5x13.5mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
85	SQ1515H	0.2*1.0*40TS	12mH	130.0	2.00	13.5*13.5 L:21.0 W:17.0 H:13.0	
86	SQ1515V	0.18*1.2*42TS	18.0mH	120.0	2.10	6*8 L:21.5 W:11.5 H:21.0	
87	SQ1515V	0.18*1.2*42TS	18.0mH	120.0	2.10	6.5*10 L:21.5 W:12.5 H:21.0	
88	SQ1515V	0.18*1.2*42TS	18.0mH	120.0	2.10	7.5*10 L:21.5 W:12.5 H:20.0	
89	SQ1515V	0.18*1.2*42TS	18.0mH	120.0	2.10	8*9 L:21.5 W:12.5 H:19.5	
90	SQ1515V	0.15*1.5*48TS	15.0mH	100.0	2.20	8*10 L:21.5 W:12.5 H:21.0	
91	SQ1515H	0.15*1.5*48TS	15.0mH	100.0	2.20	13*17 L:22.5 W:17.5 H:15.5	

Part Numbering Systems:

Series Code - Inductance - Current -Size

for example: **SQ1515(H/V)-18mH-2.10A-9x10.5mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
92	SQ1515V	0.18*1.2*42TS	18.0mH	120.0	2.10	9*10.5 L:21.5 W:13.0 H:20.0	
93	SQ1515V	0.18*1.2*42TS	18.0mH	120.0	2.10	10*12.8 L:21.5 W:15.0 H:21.0	
94	SQ1515V	0.2*1.5*38TS	10.0mH	80.0	3.00	8*10 L:21.5 W:15.0 H:21.0	
95	SQ1515H	0.2*1.5*38TS	10.0mH	80.0	3.00	13*17 L:22.5 W:17.5 H:15.5	
96	SQ1515V	0.3*1.0*28TS	10.0mH	80.0	3.00	6*8 L:21.0 W:11.5 H:21.0	
97	SQ1515V	0.3*1.0*28TS	10.0mH	80.0	3.00	6.5*10 L:21.5 W:12.5 H:21.0	
98	SQ1515V	0.3*1.0*28TS	10.0mH	80.0	3.00	7.5*10 L:21.5 W:12.5 H:20.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-10mH-3A-8x9mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
99	SQ1515V	0.3*1.0*28TS	10.0mH	80.0	3.00	8*9 L:21.5 W:12.5 H:19.5	
100	SQ1515V	0.3*1.0*28TS	10.0mH	80.0	3.00	8*10 L:21.5 W:12.5 H:21.0	
101	SQ1515V	0.3*1.0*28TS	10.0mH	80.0	3.00	9*10.5 L:21.5 W:13.0 H:20.0	
102	SQ1515V	0.3*1.0*28TS	10.0mH	80.0	3.00	10*12.8 L:21.5 W:15.0 H:20.0	
103	SQ1515H	0.3*1.0*28TS	10.0mH	80.0	3.00	13*17 L:22.0 W:17.5 H:15.0	
104	SQ1515H	0.3*1.0*28TS	10.0mH	80.0	3.00	13.5*13.5 L:21.0 W:17.0 H:13.0	
105	SQ1515V	0.25*1.5*32TS	10.0mH	60.0	3.60	7.5*10 L:21.5 W:12.5 H:20.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1515(H/V)-10mH-3.6A-10x12.8mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
106	SQ1515V	0.25*1.5*32TS	10.0mH	60.0	3.60	10*12.8 L:21.5 W:15.0 H:21.0	
107	SQ1515H	0.25*1.5*32TS	10.0mH	60.0	3.60	13*17 L:22.0 W:17.5 H:15.0	
108	SQ1515V	0.3*1.5*28TS	6.0mH	50.0	4.50	8*10 L:21.5 W:12.5 H:21.0	
109	SQ1515H	0.3*1.5*28TS	6.0mH	50.0	4.50	13*17 L:22.5 W:17.5 H:15.5	
110	SQ1515V	0.35*1.5*25TS	4.0mH	45.0	5.20	8*10 L:21.5 W:12.5 H:21.0	
111	SQ1515V	0.4*1.5*22	4.0mH	30.0	6.00	8*10 L:21.5 W:12.5 H:21.0	
112	SQ1914H	0.08*1.0*75TS	25.0mH	500.0	0.80	10*19 L:24.5 W:16.0 H:14.5	

Part Numbering Systems:

Series Code - Inductance - Current -Size

for example: **SQ1918(H/V)-700uH-0.80A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
113	SQ1918V	1.0*13TS	700uH	20.0	0.80	10*13 L:23.5 W:13.5 H:26.0	
114	SQ1918V	0.13*1.0*66TS	25.0mH	280.0	1.30	10*13 L:24.0 W:14.5 H:25.5	
115	SQ1918H	0.13*1.0*66TS	25.0mH	280.0	1.30	10*13 L:23.5 W:22.5 H:15.0	
116	SQ1918H	0.13*1.0*66TS	25.0mH	280.0	1.30	15.5*17 L:23.5 W:22.0 H:14.5	
117	SQ1918V	0.15*1.0*58TS	20.0mH	230.0	1.50	10*13 L:24.0 W:14.5 H:25.5	
118	SQ1918H	0.15*1.0*58TS	20.0mH	230.0	1.50	10*13 L:23.5 W:22.5 H:15.0	
119	SQ1918H	0.15*1.0*58TS	20.0mH	230.0	1.50	15.5*17 L:23.5 W:22.0 H:14.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1918(H/V)-18.0mH-1.80A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
120	SQ1918V	0.18*1.0*55TS	18.0mH	180.0	1.80	10*13 L:24.0 W:14.5 H:25.5	
121	SQ1918H	0.18*1.0*55TS	18.0mH	200.0	1.80	10*13 L:23.5 W:22.5 H:15.0	
122	SQ1918H	0.18*1.0*55TS	18.0mH	200.0	1.80	15.5*17 L:23.5 W:22.0 H:14.5	
123	SQ1918V	0.2*1.0*50TS	15.0mH	150.0	2.00	10*13 L:24.0 W:14.5 H:25.5	
124	SQ1918H	0.2*1.0*50TS	15.0mH	150.0	2.00	10*13 L:23.5 W:22.5 H:15.0	
125	SQ1918H	0.2*1.0*50TS	15.0mH	150.0	2.00	15.5*17 L:23.5 W:22.0 H:14.5	
126	SQ1918V	0.25*1.0*40TS	10.0mH	130.0	2.50	10*13 L:24.0 W:14.5 H:25.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ1918(H/V)-10.0mH-3A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
127	SQ1918H	0.25*1.0*40TS	10.0mH	130.0	3.00	10*13 L:23.5 W:22.5 H:15.0	
128	SQ1918H	0.25*1.0*40TS	10.0mH	130.0	3.00	15.5*17 L:23.5 W:22.0 H:14.5	
129	SQ1918V	0.25*1.2*40TS	10.0mH	130.0	3.00	10*13 L:24.0 W:14.5 H:25.5	
130	SQ1918V	0.3*1.5*34TS	10.0mH	100.0	4.50	10*13 L:24.0 W:14.5 H:25.5	
131	SQ1918V	0.35*1.5*31TS	7.0mH	80.0	5.20	10*13 L:24.0 W:14.5 H:25.5	
132	SQ1918V	0.4*1.5*34TS	5.0mH	60.0	6.00	10*13 L:24.0 W:14.5 H:25.5	
133	SQ1918V	0.5*1.5*23TS	2.0mH	25.0	7.50	10*13 L:24.0 W:14.5 H:25.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ2018(H/V)-20.0mH-2,25A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
134	SQ2018V	0.15*1.5*60TS	20.0mH	150.0	2.25	10*13 L:25.0 W:14.5 H:26.0	
135	SQ2318H	0.2*1.0*50TS	10.0mH	160.0	2.00	17.5*34.5 L:35.5 W:26.0 H:12.5	
136	SQ2318H	0.2*1.5*58TS	15.0mH	120.0	3.00	20*22.5 L:26.5 W:25.0 H:12.5	
137	ETV2320H	1.1Φ*9TS	450 uH+/-40%	9.6	11.00	7*14.5*23.8 L:27.5 W:25.0 H:12.5	
138	ETV2320H	1.1Φ*12TS	200 uH	15.0	11.00	7*14.5*23.8 L:27.5 W:25.0 H:12.5	
139	ETV2320H	1.1Φ*12TS	200 uH	15.0	11.00	7*14.5*23.8 L:27.5 W:25.0 H:11.0	
140	ETV2320V	0.3*1.5*44TS	5.0mH	60.0	4.50	9.5*12 L:27.0 W:14.5 H:30.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ2418(H/V)-25.0mH-2,25A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
141	SQ2418V	0.25*1.0*61TS	25.0mH	160.0	2.50	10*13 L:23.0 W:15.0 H:31.0	
142	SQ2418H	0.25*1.0*61TS	25.0mH	160.0	2.50	17*21.5 L:23.0 W:26.0 H:15.0	
143	SQ2418V	0.2*1.5*70TS	20.0mH	145.0	3.00	10*13 L:24.0 W:15.0 H:31.0	
144	SQ2418V	0.2*1.5*70TS	20.0mH	145.0	3.00	4*8*4 L:24.0 W:15.0 H:31.0	
145	SQ2418H	0.2*1.5*70TS	20.0mH	145.0	3.00	17*21.5 L:24.0 W:26.5 H:15.5	
146	SQ2418V	0.25*1.2*55TS	15.0mH	130.0	3.00	10*13 L:24.0 W:16.0 H:33.5	
147	SQ2418V	0.25*1.5*60TS	15.0mH	120.0	3.75	10*13 L:24.0 W:15.0 H:31.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ2418(H/V)-15.0mH-3,75A-17x21.50mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
148	SQ2418H	0.25*1.5*60TS	15.0mH	120.0	3.75	17*21.5 L:24.0 W:26.5 H:15.5	
149	SQ2418V	0.3*1.5*49TS	10.0mH	90.0	4.50	10*13 L:24.0 W:15.0 H:31.0	
150	SQ2418H	0.3*1.5*49TS	10.0mH	90.0	4.50	17*21.5 L:24.0 W:26.5 H:15.5	
151	SQ2418V	0.35*1.5*43TS	8.0mH	70.0	5.25	10*13 L:24.0 W:15.0 H:31.0	
152	SQ2418V	0.4*1.5*38TS	7.0mH	60.0	6.00	10*13 L:24.0 W:15.0 H:31.0	
153	SQ2418V	0.45*1.5*34TS	5.0mH	50.0	6.80	10*13 L:24.0 W:15.0 H:31.0	
154	SQ2418H	0.4*1.5*38TS	7.0mH	60.0	6.00	17*21.5 L:24.0 W:26.5 H:15.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ2418(H/V)-4.0mH-8.20A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
155	SQ2418V	0.55*1.5*27TS	4.0mH	40.0	8.20	10*13 L:24.0 W:15.0 H:31.0	
156	SQ2418V	0.53*2.0*30TS	4.0mH	30.0	10.60	10*13 L:24.0 W:15.0 H:31.0	
157	SQ2418V	0.6*2.0*26TS	3.0mH	25.0	12.00	10*13 L:24.0 W:15.0 H:31.0	
158	SQ2820H	1.1*18TS	1.5mH	20.0	1.00	20*24.5 L:26.0 W:30.5 H:16.5	
159	SQ2820H	0.3*1.5*60TS	12mH	90.0	4.50	20*25 L:26.0 W:30.5 H:16.5	
160	SQ2820V	0.6*1.9*29	4.0mH	25.0	11.40	10*13 L:27.0 W:17.0 H:36.5	
161	SQ2820V	1.1*2.5*17TS	1.5mH	6.0	25.00	10*14 L:27.0 W:17.0 H:36.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ2821(H/V)-9.0mH-3.75A-24.5x40.4mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
162	SQ2821H	0.25*1.5*52	9.0mH	100.0	3.75	24.5*40.4 L:41.5 W:33.0 H:13.5	
163	SQ2821H	0.3*1.5*46TS	6.0mH	65.0	4.50	24.5*40.4 L:41.5 W:33.0 H:13.5	
164	SQ2824V	0.8*2.0*16TS	2.0mH	10.0	16.00	9.5*12.5 L:32.0 W:18.5 H:31.5	
165	SQ2825V	0.7*2.5*21TS	1.6	15.0	17.50	10*17 L:34.0 W:22.0 H:31.0	
166	SQ2918H	0.3*1.5*60TS	12mH	90.0	4.50	20*25 L:26.0 W:30.5 H:16.5	
167	SQ2918H	0.3*1.5*60TS	15mH	90.0	4.50	21*25.5 L:26.0 W:30.5 H:14.5	
168	SQ2918V	0.3*1.5*60TS	12mH	90.0	4.50	10*13 L:25.5 W:15.0 H:35.5	

Part Numbering Systems:

Series Code - Inductance - Current - Size

for example: **SQ2918(H/V)-9.0mH-5.25A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
169	SQ2918V	0.35*1.5*53TS	9.0mH	80.0	5.25	10*13 L:25.5 W:15.0 H:35.5	
170	SQ2918V	0.4*1.5*47TS	8.0mH	60.0	6.00	10*13 L:25.5 W:15.0 H:35.5	
171	SQ3126V	0.6*1.0*32TS	4.0mH	45.0	6.00	16*18 L:31.0 W:23.5 H:43.0	
172	SQ3126V	1.1*3.0*18TS	2.0mH	10.0	33.00	11*16 L:36.0 W:23.0 H:36.0	
173	SQ3126H	2.0*10TS	700uH	4.0	31.40	8.6*21*30 L:36.0 W:35.0 H:18.5	
174	SQ3324V	0.5*2.0*36TS	10.0mH	35.0	10.00	16*18 L:31.0 W:23.5 H:43.0	
175	SQ3324V	0.6*1.8*32TS	6.0mH	50.0	10.80	16*18 L:36.0 W:23.5 H:43.0	

Part Numbering Systems:

Series Code - Inductance - Current -Size

for example: **SQ2918(H/V)-9.0mH-5.25A-10x13mm**

Flat wire common mode choke coil product list



No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
176	SQ3324V	0.6*1.8*32TS	6.0mH	50.0	10.80	16*18 L:31.0 W:23.5 H:43.0	
177	SQ3324H	0.6*1.8*32TS	6.0mH	50.0	10.80	20*26 L:33.5 W:34.0 H:19.0	
178	SQ3324V	0.8*1.8*24TS	4.0mH	30.0	14.40	16*18 L:31.0 W:23.5 H:43.0	
179	SQ3324V	0.8*1.8*24TS	4.0mH	30.0	14.40	16*18 L:31.0 W:23.5 H:43.0	
180	SQ3324H	0.8*1.8*24TS	4.0mH	30.0	14.40	20*26 L:33.5 W:34.0 H:19.0	
181	SQ3324V	0.8*2.0*23TS	4.0mH	15.0	16.00	12*18 L:33.0 W:20.0 H:43.0	
182	SQ3324V	1.1*2.5*18TS	1.5mH	6.0	27.50	8*17 L:35.0 W:21.5 H:36.0	

Part Numbering Systems:

Series Code - Inductance - Current - Size

Flat wire common mode choke coil product list



for example: **SQ3325(H/V)-5.0mH-9.90A-16x18mm**

No.	Part No.	Wire diameter & Turns	L(mH)Min 1KHz,0.25V	DCR (mΩ) Max	Current (A)Max	Size(mm) Max	
183	SQ3325V	0.55*1.8*28	5.0mH	30.0	9.90	16*18 L:32.5 W:23.5 H:43.0	
184	SQ3325V	2.0*10TS	200 uH	10.0	31.00	16*18 L:33.0 W:22.5 H:29.5	