

#### General Specifications

- ⌚ Material ----- Impeller:Plastic( UL 94V-0)  
Pillow:Die-Cast Aluminum
- ⌚ Lead Wire ----- + Red - Black (Sensor) Yellow (Control) Brown
- ⌚ Life time -----50000 Hours Ball bearing
- ⌚ Storage Temperatur--- -25°C ~ +70°C (Non-condensing)
- ⌚ Bearing Type----- Ball Bearings
- ⌚ Speed Range----- ±5%
- ⌚ Part Numbering System



SFD-KF250B24H- B R 1

Waterproof level:0=IP42,1=IP55,2=IP68


Sensor: 0=no,R=RD sensor ,F=FG sensor ,P=PWM sensor ,T=Temperature sensor

Bearing:S=sleeve bearing,B=ball bearing

#### Φ250 mm backward curved

Model No.	Rated Voltage	Rated Current	Rated Input	Speed	Maximum Air Flow		Max.Static Pressure	Noise
	VDC	AMP	Watt	R.P.M	M3/h	CFM	Pa	dB-A
FAN-KF250B24H	24	4.7	112	2600	1540	905	610	72
FAN-KF250B48H	48	2.6	124	2600	1540	905	610	72

#### Air Flow-Static Pressure Characteristics



#### Dimensions(unit:mm/inch)

